

WEST Search History for Application 10762036

Creation Date: 2010010616:13

10/762036PGPB, USPT ADJ 03-20-2009
20050160061.pn.PGPB, USPT ADJ 03-20-2009
(20050160061.pn.) and accessingPGPB, USPT ADJ 03-20-2009
7263521.pn.PGPB, USPT ADJ 03-20-2009
(7263521.pn.) and access\$4PGPB, USPT ADJ 03-20-2009
(7263521.pn.) and (access\$4 or hash)PGPB, USPT ADJ 03-20-2009
content addressPGPB, USPT ADJ 03-20-2009
content address near3 hashPGPB, USPT ADJ 03-20-2009
(content address near3 hash) and @ad<20040101PGPB, USPT ADJ 03-20-2009
(determin\$6 or comput\$4) near3 addressPGPB, USPT ADJ 03-20-2009
(determin\$6 or comput\$4) near3 content addressPGPB, USPT ADJ 03-20-2009
hash\$4PGPB, USPT ADJ 03-20-2009
(hash\$4) same ((determin\$6 or comput\$4) near3 content address)PGPB,
USPT ADJ 03-20-2009
(hash\$4 same (determin\$6 or comput\$4) near3 content address) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
((determin\$6 or comput\$4) near3 content address) and (hash\$4)PGPB,
USPT ADJ 03-20-2009
((determin\$6 or comput\$4) near3 content address and hash\$4) and @ad<20040101PGPB,
USPT ADJ 03-20-2009
20040249822.pn.PGPB, USPT ADJ 03-20-2009
(20040249822.pn.) and relationshipPGPB, USPT ADJ 03-20-2009
5749079.pn.PGPB, USPT ADJ 03-20-2009
(("20030041091")!PN.).PGPB. | (("7050989" | "6054943" | "3675217")!PN.).USPT.PGPB,
USPT ADJ 03-20-2009
(("20030041091")!PN.).PGPB. | (("7050989" | "6054943" | "3675217")!PN.).USPT.) and
access\$4PGPB, USPT ADJ 03-20-2009
(("20030041091")!PN.).PGPB. | (("7050989" | "6054943" | "3675217")!PN.).USPT.) and
access\$4PGPB, USPT ADJ 03-20-2009
(comput\$4 or determin\$7 or hash\$4) near3 content near3 addressPGPB,
USPT ADJ 03-20-2009
access\$4PGPB, USPT ADJ 03-20-2009
(access\$4) same ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)PGPB,
USPT ADJ 03-20-2009
(access\$4 same (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and
@ad<20040101PGPB, USPT ADJ 03-20-2009
(access\$4) with ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)PGPB,
USPT ADJ 03-20-2009
(access\$4 with (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and
@ad<20040101PGPB, USPT ADJ 03-20-2009
hash\$4 near3 content addressPGPB, USPT ADJ 03-20-2009
(hash\$4 near3 content address) and @ad<20040101PGPB, USPT ADJ 03-20-2009
(("6889209")!PN.).USPT.USPT ADJ 03-20-2009
(("6889209")!PN.).USPT.) and access\$4USPT ADJ 03-20-2009
(("6889209")!PN.).USPT. and access\$4) and address\$4USPT ADJ 03-20-2009
receiving near3 content near3 addressPGPB, USPT ADJ 03-20-2009

hashPGPB, USPT ADJ 03-20-2009
 (hash) same (receiving near3 content near3 address)PGPB, USPT ADJ 03-20-2009
 (hash) and (receiving near3 content near3 address)PGPB, USPT ADJ 03-20-2009
 (hash and receiving near3 content near3 address) and @ad<20040101PGPB,
 USPT ADJ 03-20-2009
 receiving content addressPGPB, USPT ADJ 03-20-2009
 (receiving or retrieving)near2 content addressPGPB, USPT ADJ 03-20-2009
 ((receiving or retrieving)near2 content address) and @ad<20040101PGPB,
 USPT ADJ 03-20-2009
 (("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.PGPB, USPT ADJ 03-20-2009
 (("20020188758")!.PN.).PGPB. | (("6308202")!.PN.).USPT.) and address\$4PGPB,
 USPT ADJ 03-20-2009
 20050160061.pn.PGPB, USPT ADJ 03-20-2009
 (20050160061.pn.) and retention classPGPB, USPT ADJ 03-20-2009
 (20050160061.pn.) and (retention class with access\$4)PGPB, USPT ADJ 03-20-2009
 (20050160061.pn.) and (retention class or access\$4)PGPB, USPT ADJ 03-20-2009
 (20050160061.pn.) and (retention class same access\$4)PGPB, USPT ADJ 03-20-2009
 (20050160061.pn.) and (retention class or access\$4)PGPB, USPT ADJ 03-20-2009
 accessing near3 classPGPB, USPT ADJ 03-20-2009
 (retaining or retention) near3 classPGPB, USPT ADJ 03-20-2009
 ((retaining or retention) near3 class) and (accessing near3 class)PGPB,
 USPT ADJ 03-20-2009
 ((retaining or retention) near3 class and accessing near3 class) and @ad<20040101PGPB,
 USPT ADJ 03-20-2009
 (("6185576")!.PN.).USPT.USPT ADJ 03-20-2009
 (((("6185576")!.PN.).USPT.) and access\$4USPT ADJ 03-20-2009
 (((("6185576")!.PN.).USPT.) and (access\$4 or class)USPT ADJ 03-20-2009
 (((("6185576")!.PN.).USPT.) and (retain\$4 or retention)USPT ADJ 03-20-2009
 (((("6185576")!.PN.).USPT.) and ((retain\$4 or retention)near4 class)USPT ADJ 03-20-2009
 (((("6185576")!.PN.).USPT.) and (access\$4 or class)USPT ADJ 03-20-2009
 6185576.pn.USPT ADJ 03-20-2009
 (6185576.pn.) and (retain\$4 or retention)USPT ADJ 03-20-2009
 (6185576.pn.) and (retain\$4 or retention or class)USPT ADJ 03-20-2009
 20050055518.pn.PGPB ADJ 03-20-2009
 20050160061.pn.PGPB ADJ 03-20-2009
 (20050160061.pn.) and (manner near3 accessing)PGPB ADJ 03-20-2009
 6185576.pn.PGPB, USPT ADJ 03-20-2009
 (6185576.pn.) and class codePGPB, USPT ADJ 03-20-2009

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
10/762036	PGPB, USPT	ADJ	YES		09-02-2009
20050160061.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and accessing	PGPB, USPT	ADJ	YES		09-02-2009

7263521.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(7263521.pn.) and access\$4	PGPB, USPT	ADJ	YES		09-02-2009
(7263521.pn.) and (access\$4 or hash)	PGPB, USPT	ADJ	YES		09-02-2009
content address	PGPB, USPT	ADJ	YES		09-02-2009
content address near3 hash	PGPB, USPT	ADJ	YES		09-02-2009
(content address near3 hash) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
(determin\$6 or comput\$4) near3 address	PGPB, USPT	ADJ	YES		09-02-2009
(determin\$6 or comput\$4) near3 content address	PGPB, USPT	ADJ	YES		09-02-2009
hash\$4	PGPB, USPT	ADJ	YES		09-02-2009
(hash\$4) same ((determin\$6 or comput\$4) near3 content address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash\$4 same (determin\$6 or comput\$4) near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
((determin\$6 or comput\$4) near3 content address) and (hash\$4)	PGPB, USPT	ADJ	YES		09-02-2009
((determin\$6 or comput\$4) near3 content address and hash\$4) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
20040249822.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(20040249822.pn.) and relationship	PGPB, USPT	ADJ	YES		09-02-2009
5749079.pn.	PGPB, USPT	ADJ	YES		09-02-2009
((("20030041091")!.PN.).PGPB. (("7050989" "6054943" "3675217")!.PN.).USPT.	PGPB, USPT	ADJ	YES		09-02-2009
((("20030041091")!.PN.).PGPB. (("7050989" "6054943" "3675217")!.PN.).USPT.) and access\$4	PGPB, USPT	ADJ	YES		09-02-2009
((("20030041091")!.PN.).PGPB. (("7050989" "6054943" "3675217")!.PN.).USPT.) and access\$4	PGPB, USPT	ADJ	YES		09-02-2009

(comput\$4 or determin\$7 or hash\$4) near3 content near3 address	PGPB, USPT	ADJ	YES		09-02-2009
access\$4	PGPB, USPT	ADJ	YES		09-02-2009
(access\$4) same ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(access\$4 same (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
(access\$4) with ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(access\$4 with (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
hash\$4 near3 content address	PGPB, USPT	ADJ	YES		09-02-2009
(hash\$4 near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
((("6889209")!.PN.),USPT.	USPT	ADJ	YES		09-02-2009
((("6889209")!.PN.),USPT.) and access\$4	USPT	ADJ	YES		09-02-2009
((("6889209")!.PN.),USPT. and access\$4) and address\$4	USPT	ADJ	YES		09-02-2009
receiving near3 content near3 address	PGPB, USPT	ADJ	YES		09-02-2009
hash	PGPB, USPT	ADJ	YES		09-02-2009
(hash) same (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash) and (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		09-02-2009
(hash and receiving near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
receiving content address	PGPB, USPT	ADJ	YES		09-02-2009
(receiving or retrieving)near2 content address	PGPB, USPT	ADJ	YES		09-02-2009
((receiving or retrieving)near2 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
		ADJ	YES		09-02-2009

((("20020188758")!.PN.),PGPB. (("6308202")!.PN.),USPT.	PGPB, USPT				
((("20020188758")!.PN.),PGPB. (("6308202")!.PN.),USPT.) and address\$4	PGPB, USPT	ADJ	YES		09-02-2009
20050160061.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and retention class	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and (retention class with access\$4)	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and (retention class or access\$4)	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and (retention class same access\$4)	PGPB, USPT	ADJ	YES		09-02-2009
(20050160061.pn.) and (retention class or access\$4)	PGPB, USPT	ADJ	YES		09-02-2009
accessing near3 class	PGPB, USPT	ADJ	YES		09-02-2009
(retaining or retention) near3 class	PGPB, USPT	ADJ	YES		09-02-2009
((retaining or retention) near3 class) and (accessing near3 class)	PGPB, USPT	ADJ	YES		09-02-2009
((retaining or retention) near3 class and accessing near3 class) and @ad<20040101	PGPB, USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.	USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.) and access\$4	USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.) and (access\$4 or class)	USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.) and (retain\$4 or retention)	USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.) and ((retain\$4 or retention)near4 class)	USPT	ADJ	YES		09-02-2009
((("6185576")!.PN.),USPT.) and (access\$4 or class)	USPT	ADJ	YES		09-02-2009
6185576.pn.	USPT	ADJ	YES		09-02-2009
(6185576.pn.) and (retain\$4 or retention)	USPT	ADJ	YES		09-02-2009
(6185576.pn.) and (retain\$4 or retention or class)	USPT	ADJ	YES		09-02-2009
20050055518.pn.	PGPB	ADJ	YES		09-02-2009

20050160061.pn.	PGPB	ADJ	YES		09-02-2009
(20050160061.pn.) and (manner near3 accessing)	PGPB	ADJ	YES		09-02-2009
6185576.pn.	PGPB, USPT	ADJ	YES		09-02-2009
(6185576.pn.) and class code	PGPB, USPT	ADJ	YES		09-02-2009
10/762036	PGPB, USPT	ADJ	YES		01-06-2010
20050160061.pn.	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and accessing	PGPB, USPT	ADJ	YES		01-06-2010
7263521.pn.	PGPB, USPT	ADJ	YES		01-06-2010
(7263521.pn.) and access\$4	PGPB, USPT	ADJ	YES		01-06-2010
(7263521.pn.) and (access\$4 or hash)	PGPB, USPT	ADJ	YES		01-06-2010
content address	PGPB, USPT	ADJ	YES		01-06-2010
content address near3 hash	PGPB, USPT	ADJ	YES		01-06-2010
(content address near3 hash) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
(determin\$6 or comput\$4) near3 address	PGPB, USPT	ADJ	YES		01-06-2010
(determin\$6 or comput\$4) near3 content address	PGPB, USPT	ADJ	YES		01-06-2010
hash\$4	PGPB, USPT	ADJ	YES		01-06-2010
(hash\$4) same ((determin\$6 or comput\$4) near3 content address)	PGPB, USPT	ADJ	YES		01-06-2010
(hash\$4 same (determin\$6 or comput\$4) near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
((determin\$6 or comput\$4) near3 content address) and (hash\$4)	PGPB, USPT	ADJ	YES		01-06-2010
		ADJ	YES		01-06-2010

((determin\$6 or comput\$4) near3 content address and hash\$4) and @ad<20040101	PGPB, USPT				
20040249822.pn.	PGPB, USPT	ADJ	YES		01-06-2010
(20040249822.pn.) and relationship	PGPB, USPT	ADJ	YES		01-06-2010
5749079.pn.	PGPB, USPT	ADJ	YES		01-06-2010
((("20030041091")!.PN.).PGPB. ((("7050989" "6054943" "3675217")!.PN.).USPT.	PGPB, USPT	ADJ	YES		01-06-2010
((("20030041091")!.PN.).PGPB. ((("7050989" "6054943" "3675217")!.PN.).USPT.) and access\$4	PGPB, USPT	ADJ	YES		01-06-2010
((("20030041091")!.PN.).PGPB. ((("7050989" "6054943" "3675217")!.PN.).USPT.) and access\$4	PGPB, USPT	ADJ	YES		01-06-2010
(comput\$4 or determin\$7 or hash\$4) near3 content near3 address	PGPB, USPT	ADJ	YES		01-06-2010
access\$4	PGPB, USPT	ADJ	YES		01-06-2010
(access\$4) same ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		01-06-2010
(access\$4 same (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
(access\$4) with ((comput\$4 or determin\$7 or hash\$4) near3 content near3 address)	PGPB, USPT	ADJ	YES		01-06-2010
(access\$4 with (comput\$4 or determin\$7 or hash\$4) near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
hash\$4 near3 content address	PGPB, USPT	ADJ	YES		01-06-2010
(hash\$4 near3 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
((("6889209")!.PN.).USPT.	USPT	ADJ	YES		01-06-2010
((("6889209")!.PN.).USPT.) and access\$4	USPT	ADJ	YES		01-06-2010
((("6889209")!.PN.).USPT. and access\$4) and address\$4	USPT	ADJ	YES		01-06-2010
receiving near3 content near3 address	PGPB, USPT	ADJ	YES		01-06-2010
hash		ADJ	YES		01-06-2010

	PGPB, USPT				
(hash) same (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		01-06-2010
(hash) and (receiving near3 content near3 address)	PGPB, USPT	ADJ	YES		01-06-2010
(hash and receiving near3 content near3 address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
receiving content address	PGPB, USPT	ADJ	YES		01-06-2010
(receiving or retrieving)near2 content address	PGPB, USPT	ADJ	YES		01-06-2010
((receiving or retrieving)near2 content address) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010
((("20020188758")!.PN.),PGPB. (("6308202")!.PN.),USPT.	PGPB, USPT	ADJ	YES		01-06-2010
((("20020188758")!.PN.),PGPB. (("6308202")!.PN.),USPT.) and address\$4	PGPB, USPT	ADJ	YES		01-06-2010
20050160061.pn.	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and retention class	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and (retention class with access\$4)	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and (retention class or access\$4)	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and (retention class same access\$4)	PGPB, USPT	ADJ	YES		01-06-2010
(20050160061.pn.) and (retention class or access\$4)	PGPB, USPT	ADJ	YES		01-06-2010
accessing near3 class	PGPB, USPT	ADJ	YES		01-06-2010
(retaining or retention) near3 class	PGPB, USPT	ADJ	YES		01-06-2010
((retaining or retention) near3 class) and (accessing near3 class)	PGPB, USPT	ADJ	YES		01-06-2010
((retaining or retention) near3 class and accessing near3 class) and @ad<20040101	PGPB, USPT	ADJ	YES		01-06-2010

((("6185576")!.PN.).USPT.	USPT	ADJ	YES		01-06-2010
((("6185576")!.PN.).USPT.) and access\$4	USPT	ADJ	YES		01-06-2010
((("6185576")!.PN.).USPT.) and (access\$4 or class)	USPT	ADJ	YES		01-06-2010
((("6185576")!.PN.).USPT.) and (retain\$4 or retention)	USPT	ADJ	YES		01-06-2010
((("6185576")!.PN.).USPT.) and ((retain\$4 or retention)near4 class)	USPT	ADJ	YES		01-06-2010
((("6185576")!.PN.).USPT.) and (access\$4 or class)	USPT	ADJ	YES		01-06-2010
6185576.pn.	USPT	ADJ	YES		01-06-2010
(6185576.pn.) and (retain\$4 or retention)	USPT	ADJ	YES		01-06-2010
(6185576.pn.) and (retain\$4 or retention or class)	USPT	ADJ	YES		01-06-2010
20050055518.pn.	PGPB	ADJ	YES		01-06-2010
20050160061.pn.	PGPB	ADJ	YES		01-06-2010
(20050160061.pn.) and (manner near3 accessing)	PGPB	ADJ	YES		01-06-2010
6185576.pn.	PGPB, USPT	ADJ	YES		01-06-2010
(6185576.pn.) and class code	PGPB, USPT	ADJ	YES		01-06-2010